

5 reasons to optimize rheology in your QC process

Rely on the Thermo Scientific™ HAAKE™ Viscotester iQ™ Rheometer for fast, reliable quality control measurements, and save up to 20%.



Intuitive handling

- Smart lift function for reproducible gap settings providing effortless daily routines
- Measuring geometries designed for easy exchanges reduce sample handling time
- Touch screen display offers fast, easy control



Intelligent workflows

- “Connect Assist” technology enhances usability with rotor recognition and feedback loops
- Visual indicator helps confirm correct measuring range
- Pre-defined measuring and evaluation procedures ease workload
- Automatic user guidance and customized SOP creation speed processes via Thermo Scientific™ HAAKE™ RheoWin™ Software



Individual configurations

- Supporting accessories ensure correct sample filling and precise temperature control
- Different measuring modes for CR, CS and Osc. offer comprehensive measurements for water-like up to paste-like samples



Worldwide support

- Global certified specialists offer reliable service and application support as well as comprehensive rheology training



Special offer

- Save up to 20% on a new, modern HAAKE Viscotester iQ Rheometer plus a temperature control module and any standard measuring geometries purchased with the rheometer.

HAAKE Viscotester iQ and iQ Air Rheometers

Find the optimal rheometer configuration for your lab.



Cone-plate and parallel plate configurations



Vane rotor and universal container holder



Coaxial cylinder configurations



Lab stand for flexible sample container sizes or immersion tube applications



Special measuring cells, e.g., pressure or measuring cell for building materials



Individual color designs on request

Learn more and request a demo at thermofisher.com/mc-promotions